High number of Strokes caused by the Covid-19 Vaccines may explain why so many of the Vaccinated are also going Blind

dailyexpose.uk/2022/04/26/why-people-going-blind-following-covid-vaccination/

By The Exposé April 26, 2022



High number of Strokes caused by the Covid-19 Vaccines may explain why so many of the Vaccinated are also going Blind

Since the first Covid-19 vaccine was authorised for use in the United Kingdom, and administered on the 8th December 2020, there have been hundreds of thousands of adverse reactions reported to the MHRA Yellow Card scheme. But there is one particular adverse reaction which is both concerning and strange, and the number of people suffering from it is increasing by the week – Blindness.

The MHRA Yellow Card scheme analysis print for the Pfizer / BioNTech mRNA jab shows that since the first jab was administered on the 9th December 2020, and up to 6th April 2022, 163 people have reported suffering total blindness due to the injection. Another 6 people have also reported central vision loss, whilst a further 4 people have reported sudden visual loss.

Twenty-one people have also reported an adverse reaction known as 'blindness transient' due to the Pfizer vaccine. This is where a person suffers visual disturbance or loss of sight in one eye for seconds or minutes at a time. And a further twenty people have reported an adverse reaction known as 'unilateral blindness'. This is where a person is blind or has extremely poor vision in one eye.

In total there have been 8,016 eye disorders reported as adverse reactions to the Pfizer jab as of 6th April 2022.

Case Series Drug Analysis Print Name: COVID-19 mRNA Pfizer- BioNTech Vaccine Analysis Print

Report Run Date: 07-Apr-2022 Data Lock Date: 06-Apr-2022 18:30:09
MedDRA Version: MedDRA 24.1

Reaction Name	Total	Fatal
Eye disorders Eye disorders cont'd		
Visual field defect	41	0
Visual impairment and blindness (excl colour blindness)		
Amaurosis fugax	4	0
Blindness	163	0
Blindness cortical	1	0
Blindness transient	21	0
Blindness unilateral	20	0
Central vision loss	6	0
Sudden visual loss	4	0
Visual acuity reduced	30	0
Visual acuity reduced transiently	1	0
Visual impairment	468	0
Visual pathway disorders		
Optic nerve disorder	1	0
Eye disorders SOC TOTAL	8016	0

Source - Page 17

The AstraZeneca viral vector injection has also caused hundreds of people to go blind. As of 6th April 22 the MHRA has received 324 reports of blindness, 3 reports of central vision loss, 5 reports of sudden visual loss, and 29 reports of blindness transient among 14,895 eye disorders reported as adverse reactions to the jab.

Case Series Drug Analysis Print Name: COVID-19 AstraZeneca Vaccine Analysis Print

Report Run Date: 07-Apr-2022 Data Lock Date: 06-Apr-2022 18:30:09

Reaction Name	Total	Fatal
Eye disorders Eye disorders cont'd		
Erythropsia	7	0
Xanthopsia	9	0
Visual disorders NEC		
Charles Bonnet syndrome	1	0
Delayed dark adaptation	1	0
Diplopia	368	0
Dysmetropsia	1	0
Halo vision	13	0
Metamorphopsia	42	0
Oscillopsia	1	0
Photopsia	345	0
Scintillating scotoma	10	0
Vision blurred	3140	0
Visual brightness	10	0
Visual snow syndrome	6	0
Visual field disorders		
Visual field defect	45	0
Visual impairment and blindness (excl colour blindness)		
Amaurosis	1	0
Amaurosis fugax	10	0
Blindness	324	0
Blindness cortical	1	0
Blindness day	1	0
Blindness transient	29	0
Blindness unilateral	46	0
Central vision loss	3	0
Night blindness	6	0
Sudden visual loss	5	0
Visual acuity reduced	40	0
Visual acuity reduced transiently	1	0
Visual impairment	837	0
Visual pathway disorders		
Optic nerve compression	2	0
Optic nerve disorder	5	0
Optic neuropathy	11	0
Eye disorders SOC TOTAL	14895	0

Source - Page 18

The Moderna mRNA injection, which was first administered in June and has the lowest number of injections administered in the UK, has also caused several people to suffer blindness.

As of 6th April 22, the MHRA have received 34 reports of blindness, 56 reports of visual impairment, and 6 reports of as adverse reactions to the Moderna injection. blindness transient among 1,519 eye disorders reported as adverse reactions to the Moderna jab.

Case Series Drug Analysis Print Name: COVID-19 Moderna Vaccine Analysis Print

Report Run Date: 07-Apr-2022 Data Lock Date: 06-Apr-2022 18:30:09
MedDRA Version: MedDRA 24.1

_	ModDrot Volsion, ModDrot 24.1		
Reaction Name		Total	Fatal
Eye disorders Eye disor	ders cont'd		
Visual field disorders			
Visual field defect		5	0
Visual impairment and blind	Iness (excl colour blindness)		
Blindness		34	0
Blindness transient		6	0
Blindness unilateral		1	0
Night blindness		1	0
Visual acuity reduced		3	0
Visual impairment		56	0
Eye disorders SOC TOTAL		1519	0

Source - Page 10

In all, when including adverse reactions reported where the brand of vaccine was not specified, there have been 24,516 eye disorders reported as adverse reactions to the Covid-19 injections, with 525 of these reactions being complete blindness.

"Fact-checkers" alongside authorities have been on the case to sweep this data under the carpet and have labelled it as unreliable. Their reasoning is that "just because someone reports the event after having the vaccine, it doesn't necessarily mean it is due to the vaccine".

But what they're not telling you is that it also doesn't necessarily mean it is not due to the vaccine, and we imagine every single person who has reported an adverse reaction would disagree with the fact checkers and authorities attempts to play down these reports.

For instance one person, who goes by the name of Louis, documented the story of his wife on Twitter in the days, weeks and months following her getting the AstraZeneca Covid vaccine.

Unfortunately, his wife went completely blind in her left eye and 30-60% blind in her right eye after having the AstraZeneca jab and the neurologist treating her, categorically told her not have the second dose.

...



No improvement

19 days steroids

55 days blind

59 days since #AstraZeneca #vax

100% blind in left eye 30%-60% blind in right eye

2 CT scans

1 MRI, another Friday

3 Ophthalmology, another 2 next week

2 Opticians

1 Lumber puncture

Dozens of bloods

Pls Retweet & Follow

6:04 AM · May 5, 2021 · Twitter for iPhone

As you can see the misery which the fact checkers are disregarding as "not necessarily the fault of the vaccine" is very real for the people who are reporting them.

But why are the Covid vaccines causing people to go blind?

Well there is another extremely concerning adverse reaction that has been reported to the MHRA Yellow Card scheme, one which has occurred an astronimical amount of times, and that adverse event is a stroke.

As of 6th Feb 22, the MHRA has received 786 reports of stroke due to the Pfizer mRNA injection, which is now the primary booster jab being administered to Brits, and the only jab being administered to children.

These reports include 19 reports of subarachnoid haemorrhage, which is an extremely rare type of stroke, 64 reports of cerebral haemorrhage, 61 reports of ischaemic stroke, and 487 reports of cerebrovascular accidents.

Sadly these 786 reported strokes have resulted in 65 deaths.

Followial altery aleegotion		
Central nervous system haemorrhages and cerebrovascular accidents		
Basal ganglia haemorrhage	1	0
Basal ganglia infarction	1	0
Brain stem haemorrhage	3	3
Brain stem infarction	1	1
Brain stem stroke	3	0
Carotid artery occlusion	1	0
Carotid artery thrombosis	4	0
Cerebellar artery thrombosis	1	0
Cerebellar haemorrhage	3	0
Cerebellar infarction	3	0
Cerebellar ischaemia	1	0
Cerebellar stroke	8	1
Cerebral artery embolism	3	1
Cerebral artery occlusion	2	0
Cerebral artery thrombosis	5	0
Cerebral haemorrhage	64	15
Cerebral infarction	32	3
Cerebral ischaemia	1	0
Cerebral thrombosis	15	0
Cerebrovascular accident	487	20
Embolic stroke	8	0
Haemorrhage intracranial	16	4
Haemorrhagic cerebral infarction	1	0

Report Run Date: 07-Apr-2022,

Case Series Drug Analysis Print

Name: COVID-19 mRNA Pfizer- BioNTech Vaccine Analysis Print

Report Run Date: 07-Apr-2022 Data Lock Date: 06-Apr-2022 18:30:09
MedDRA Version: MedDRA 24.1

Reaction Name	Total	Fatal
Nervous system disorders us system disorders cont'd		
Haemorrhagic stroke	12	5
Internal capsule infarction	1	0
Intracranial haematoma	1	0
Ischaemic cerebral infarction	1	0
Ischaemic stroke	61	3
Lacunar infarction	4	0
Lacunar stroke	6	0
Lateral medullary syndrome	2	0
Pseudostroke	3	0
Ruptured cerebral aneurysm	1	0
Spinal cord infarction	1	0
Spinal stroke	1	0
Stroke in evolution	1	0
Subarachnoid haemorrhage	19	8
Thalamic infarction	1	0
Thrombotic stroke	6	1
Vertebrobasilar stroke	1	0

Unfortunately the AstraZeneca vaccine has also caused hundred of strokes. Up to 6th April 22, the MHRA has received 2,355 reports of stroke as adverse reactions to the jab resulting in 170 deaths.

The 2,355 strokes include 202 cerebral haemorrhages, 119 subarachnoid haemorrhages (supposed to be rare), 166 ischaemic strokes, and a shocking 1,369 cerebrovascular accidents.

Central nervous system haemorrhages and cerebrovascular accidents		
Basal ganglia haemorrhage	3	0
Basal ganglia infarction	1	0
Basal ganglia stroke	2	1
Basilar artery occlusion	1	0
Basilar artery thrombosis	5	1
Brain stem embolism	1	1
Brain stem haemorrhage	5	1
Brain stem infarction	2	2
Brain stem stroke	8	2
Brain stem thrombosis	2	1
Carotid artery occlusion	3	0
Carotid artery thrombosis	11	0
Cerebellar haemorrhage	5	0
Cerebellar infarction	6	0
Cerebellar stroke	12	0
Cerebral artery embolism	12	0
Cerebral artery occlusion	5	1
Cerebral artery thrombosis	17	0
Cerebral haematoma	14	1
Cerebral haemorrhage	202	54
Cerebral infarction	99	6
Cerebral ischaemia	4	0

Source – Page 82

Case Series Drug Analysis Print Name: COVID-19 AstraZeneca Vaccine Analysis Print


Report Run Date: 07-Apr-2022 Data Lock Date: 06-Apr-2022 18:30:09
MedDRA Version: MedDRA 24.1

Reaction Name	Total	Fatal
Nervous system disorders cont'd		
Cerebral thrombosis	44	4
Cerebral vascular occlusion	2	0
Cerebrovascular accident	1369	53
Embolic stroke	21	1
Haemorrhage intracranial	57	14
Haemorrhagic cerebellar infarction	1	0
Haemorrhagic cerebral infarction	3	1
Haemorrhagic stroke	49	8
Haemorrhagic transformation stroke	8	3
Internal capsule infarction	1	0
Intracranial haematoma	8	1
Intraventricular haemorrhage	6	0
Ischaemic cerebral infarction	3	0
Ischaemic stroke	166	8
Lacunar infarction	6	0
Lacunar stroke	29	0
Perinatal stroke	1	0
Pseudostroke	3	0
Ruptured cerebral aneurysm	1	0
Spinal cord haematoma	1	0
Spinal cord infarction	1	0
Spinal stroke	5	0
Stroke in evolution	1	0
Subarachnoid haemorrhage	119	8
Thalamic infarction	1	0
Thalamus haemorrhage	10	0
Thrombotic stroke	16	0
Vertebral artery occlusion	1	0
Vertebral artery thrombosis	2	0

Source - Page 83

But what does this have to do with people going blind? Well this helpful fact sheet provided by the Stroke Foundation in Australia provides the answer as to why.

According to the fact sheet around one-third of stroke survivors suffer visual loss, and most sadly never fully recover their vision.



Vision loss after stroke

What you need to know

- · About one-third of stroke survivors experience vision loss.
- · Most people who have vision loss after a stroke do not fully recover their vision.
- Some recovery is possible this will usually happen in the first few months after a stroke.
- Training, equipment and home modifications can help you to live as independently and safely as possible.

Vision loss after stroke

Your vision depends on a healthy eye to receive information and a healthy brain to process that information. The nerves in the eye travel from the eye through the brain to the occipital cortex at the back of the brain, allowing you to see.

Most strokes affect one side of the brain. Nerves from each eye travel together in the brain, so both eyes are affected. If the right side of your brain is damaged, the left side vision in each eye may be affected. It is rare for both sides of the brain to be affected by stroke. When it does happen, it can result in blindness.

Source

The reason strokes cause blindness is that vision depends on a healthy eye to receive information and a healthy brain to process that information. The nerves in the eye travel from the eye through the brain to the occipital cortex at the back of the brain, allowing you to see.

Most strokes affect one side of the brain. Nerves from each eye travel together in the brain, so both eyes are affected. If the right side of your brain is damaged, the left side vision in each eye may be affected. It is rare for both sides of the brain to be affected by stroke. When it does happen, it can result in blindness.

So if you've been wondering how on earth the experimental Covid-19 injections could cause a person to go blind, you now know why.

It's the vast amount of strokes the Covid injections are causing that is contributing to this devastating and lifechanging adverse event. Strokes will not be the only contributing factor of course, but the numbers suggest they are most likely the main adverse reaction at fault.

Sources/References

- · Stroke Foundation Fact Sheet
- Vaccine Analysis Print COVID-19 Pfizer/BioNTech Vaccine
- Vaccine Analysis Print COVID-19 Vaccine AstraZeneca
- Vaccine Analysis Print COVID-19 Vaccine Moderna

- Vaccine Analysis Print Brand unspecified
- · Coronavirus vaccine weekly summary of Yellow Card reporting

Because we are 100% funded by you we urgently need your support to keep The Expose online.

If every single one you reading this supported us today no matter how large or small a donation then The Expose could keep bringing you the facts the mainstream refuse to for at least another year.

It's secure, quick, and easy...

Please choose your preferred method to show your support

ONE TIME DONATION

MONTHLY SUBSCRIPTION

BUY US A COFFEE

DONATE CRYPTO

Send Bitcoin



The Expose Bitcoin Wallet Address – 3KpsgfuEX6v7w83aVN4b1dfCZTzas7Kt74

Send Monero



The Expose Monero Wallet Address -

89bg5cqeUpiBq3ci8ZaAco6wh87FP4xJLMXtajv5VkSueijLgmbVxr4fud5qMEih5D2655XGVcHHnVwx5X4idmCS7w3wSxa

"Shocks are Coming": Nicole Schwab Wastes Everyone's Time Discussing The Great Reset
Barack Obama is the current real President of the United States; Joe Biden is his Puppet
Social Engineering Through Financial Institutions: Dutch Bank Links Customers' Expenditure with CO2
Emissions

SHOCKING – 44k Dead and 4.2Million injured due to Covid-19 Vaccination across Europe
Study finds Covid-19 Vaccination increases risk of Death by at least 4800%
Study finds Covid-19 Vaccination increases risk of suffering Miscarriage by 1517%
Authoritarianism Emerges in Response to Threats of Pandemics and Famine
Vienna Is Also Becoming a Testing Ground for A Chinese-Style Social Credit System
New Modelling Study concludes 'Unvaccinated are a danger to the Vaccinated'; but Real-World Data proves
COVID Vaccines INCREASE Risk of Infection by 400%







▼ Follow Daily Expose on Telegram